eile FIBRE

Polypropylene Fibers

Description

They are polypropylene Fibers that have a tensile strength augmenter feature in mortars and concrete and thus provide a significant increase in their quality.

Areas of Usage

In all kinds of concrete, screed, plaster and repair mortar

Features of Product

*It acts as a splice.

- * It increases concrete quality.
- * It increases water retention of the concrete.
- *It is not affected by corrosion.
- *It increases tensile and compressive strength.

*It increases waterproofing of the concrete.

*It significantly reduces the possible cracks in the concrete.

*It serves as a steel mesh by dispersing homogeneously into the concrete. *Unlimited shelf life.

Application Procedure

Mixing

A package of 600 gr must be mixed with 1 m³ concrete or repair mortar. In order to carry out a healthy application, mixing must be carried on until the mixture becomes homogeneous.

Application method

1 package of eile Fiber (600 gr) should be mixed in the mixer per m³ of concrete.

Packaging: in packages of 600 gr

Storage

Should be stored in a dry and cool place.

Shelf Life

Unlimited under the specified storage conditions

Safety Recommendations: Please wear the coveralls, protective gloves, glasses and mask suitable for occupational health and safety. Make sure that it does not contact the skin and the eyes; in case it does, wash with plenty of water. In case swallowed, contact the closest health care institution immediately. Keep out of the reach of children. Keep food and drinks away from the application areas.

Responsibility: In case the recommendations and application conditions specified above are not conformed, the applications (misuse) do not fall under the responsibility of **POMZA EXPORT A.Ş.**, the producer of eile POMEX branded products. The user is responsible for whether the product is used in accordance with its purpose, as well as the validity of application conditions and forms. eile Pomex Construction Chemicals does not accept any indemnity claim concerning the results, work accidents, direct or indirect damages or losses due to the misapplication of the products.

Note: eile POMEX reserves the right to improve/revise the product and this technical document over time. This Technical Data Sheet supersedes the former Technical Data Sheet released for this product. The user must make sure that the available technical document is the latest updated version. If necessary, our company must be contacted to inquire the updating status of the document. AUGUST 2014





eile Pomex Yapı Kimyasalları Ankara Asfaltı No: 476/A Bornova/İZMİR Tel: +90 232 360 17 77 • Faks: +90 232 360 16 16 www.eilepomex.com • info@eilepomex.com